



Your project deserves it.



WIWA 250 / 500 DX



WWW.WIWA.COM

WIWA 250 / 500 DX

The new standard for user-friendliness and simplicity ...

Compared to the well-established 250/500 D airless spray gun, the new 250 DX and 500 DX models feature several improvements that will make users' daily work easier.

The filter is located directly inside the housing for easy replacement. This means there is no need to spend time removing the handle and the safety guard.

Thanks to its ergonomic design, the gun also feels light and comfortable in the hand. Thanks to the sealing unit, repairs are easy to perform. In addition, the built-in swivel joint has low torque, and the trigger can be pulled with minimal effort. Here, you can choose between a two-finger and a four-finger trigger.

Technical data		
Spraying method	Airless	
Max. operating pressure	250 bar / 3,626 psi	500 bar / 7,252 psi
Order number	0675360	0675350

Easy maintenance


Available with a two-finger or four-finger trigger

Comfortable handling thanks to its ergonomic design and reduced weight




... including maintenance and repairs.

Thanks to its new positioning, the filter can be removed and replaced quickly and easily. In general, the entire gasket unit can be replaced as a single unit with ease. The gun can then be reassembled in no time. For repairs that don't take up your time!



Quick and easy maintenance or repairs— with the complete video guide on YouTube.





f WIWA Wilhelm Wagner GmbH & Co. KG

in WIWA Wilhelm Wagner GmbH & Co. KG

@ @wiwa_airless_global_hq

☎ +49 (0) 6441 609-0

✉ info@wiwa.de

Headquarters and Production in Germany

WIWA Wilhelm Wagner GmbH & Co. KG

Gewerbestraße 1-3

35633 Lahnau

Phone: +49 (0) 64 41 / 6 09-0

www.wiwa.com

WIWA Subsidiary USA

WIWA LLC – USA, Canada, Latin America

107 N. Main St., Alger, OH 45812

Phone: +1-419-757-0141

Toll-Free: +1-855-757-0141

www.wiwausa.com

CERTIFIED
ISO 9001

